
Privacy and sales policy

Sales Policy

This Sales Policy sets out the rules for the sale of goods by AH Hardt sp.j. through its online store available at www.ah.com.pl. The purchase made in our online store implies acceptance of the following rules.

1. Terms and conditions of the contract

An order placed on the website of AH Hardt sp.j. is equivalent to the conclusion of a contract of sale at a distance, in accordance with the provisions of the Civil Code and the Law on Consumer Rights.

2. Prices and payment

The prices of products on the website of the store AH Hardt sp.j. are expressed in euro (EUR) and are available for viewing after registering or logging in.

- For individual customers (consumers) the prices are given as gross amounts, i.e. they include VAT.
- For business customers (B2B), prices are given as net amounts (without VAT), which will be added when finalizing the order according to the applicable VAT rates.

Payment can be made using the available payment methods specified on the store website.

3. Order processing and delivery

Costs and delivery time depend on the form of delivery chosen by the customer and the place of delivery.

4. Returns and complaints

4.1 Return of goods

In accordance with the law, the customer has the right to withdraw from the sales contract within 14 days from the date of receipt of the goods, without giving any reason. Only standard products (according to Appendix 1) are subject to return.

Non-standard products, other products made on the customer's special order, are not subject to return.

To make a return, contact the store's staff by email at: handlowy@ah.com.pl, and then return the product intact to the address of the company's headquarters. The cost of return is paid by the customer.

4.2 Complaints

If physical defects of the goods are found, the customer has the right to file a complaint. The complaint should be submitted by e-mail to: handlowy@ah.com.pl, with a description of the defect and photographic documentation (if possible). AH Hardt sp.j. undertakes to consider the complaint within 14 days from the date of its submission.

5. Final provisions

1. AH Hardt sp.j. reserves the right to change this Sales Policy, provided that these changes will not affect the rights and obligations arising from contracts entered into before the introduction of changes.
2. In matters not covered by this Sales Policy, the provisions of the Civil Code and other applicable laws shall apply.

AH Hardt sp.j.
Cholerzyn 215
32-060 Liszki
NIP: 6790168262 KRS: 0000120755
Tel. +48 12 658 66 77/88
E-mail:handlowy@ah.com.pl
www.ah.com.pl



Appendix No. 1 - List of Standard Products Subject to Return.

This list may include products that are in the store's permanent offer, which were not made to the customer's special order. Detailed information on standard and custom products is available on the store's website.

All regulations can be viewed at: en.ah.com.pl

WŁAŚCICIEL


mgr inż. Adam Hardt Adam Hardt

Cholerzyn, 1.01.25 r.



Appendix No. 1

| No. | catalog no | product name | | EAN code | Class ID ETIM | unit of order |
|-----|------------|---|---------------|------------|---------------|---------------|
| 1 | AH01031 | 4-hole cross connector 2-plate B up to 30mm /OC/ | 5901832910190 | 25.72.14.0 | EC000514 | pc |
| 2 | AH01041 | 4-hole cross connector 3-plate B up to 30mm /OC/ | 5901832910206 | 25.72.14.0 | EC000514 | pc |
| 3 | AH01051 | 4-hole cross connector 2-plate B up to 40mm /OC/ | 5901832910213 | 25.72.14.0 | EC000514 | pc |
| 4 | AH01061 | 4-hole cross connector 3-plate B up to 40mm /OC/ | 5901832910220 | 25.72.14.0 | EC000514 | pc |
| 5 | AH01101 | 4-hole cross connector 2-plate /OC/ | 5901832910244 | 25.72.14.0 | EC000514 | pc |
| 6 | AH01171 | 4-hole cross connector 2-plate B up to 50mm /OC/ | 5901832910312 | 25.72.14.0 | EC000514 | pc |
| 7 | AH01181 | 4-hole cross connector 3-plate B up to 50mm /OC/ | 5901832910329 | 25.72.14.0 | EC000514 | pc |
| 8 | AH02011 | 2-hole through connector /OC/ | 5901832910992 | 25.72.14.0 | EC000514 | pc |
| 9 | AH02041 | 4-hole through connector /OC/ | 5901832911029 | 25.72.14.0 | EC000514 | pc |
| 10 | AH02021 | 2-hole through connector single /OC/ | 5901832911005 | 25.72.14.0 | EC000514 | pc |
| 11 | AH02031 | 2-hole through connector double /OC/ | 5901832911012 | 25.72.14.0 | EC000514 | pc |
| 12 | AH03021 | 4-hole test connector wire-band B up to 30mm /OC/ | 5901832911203 | 25.72.14.0 | EC000514 | pc |
| 13 | AH03031 | 4-hole test connector wire-band B up to 40mm /OC/ | 5901832911210 | 25.72.14.0 | EC000514 | pc |
| 14 | AH03051 | 4-hole test connector wire-band B up to 40mm /OC/ | 5901832911227 | 25.72.14.0 | EC000514 | pc |
| 15 | AH03091 | 4-hole test connector wire-band B up to 50mm /OC/ | 5906764389434 | 25.72.14.0 | EC000514 | pc |
| 16 | AH21011 | Top holder screwed h=8cm /OC/ | 5906764383814 | 25.72.14.0 | EC000507 | pc |
| 17 | AH21021 | Top holder screwed h=10cm /OC/ | 5906764383821 | 25.72.14.0 | EC000507 | pc |
| 18 | AH21031 | Top holder h=8cm /OC/ | 5906764383838 | 25.72.14.0 | EC000507 | pc |
| 19 | AH21041 | Top holder h=10cm /OC/ | 5906764383845 | 25.72.14.0 | EC000507 | pc |
| 20 | AH21071 | Top holder screwed h=8cm /OC/ | 5906764383876 | 25.72.14.0 | EC000507 | pc |
| 21 | AH21081 | Top holder screwed h=10cm /OC/ | 5906764383883 | 25.72.14.0 | EC000507 | pc |
| 22 | AH21051 | Top holder h=8cm /OC/ | 5906764383852 | 25.72.14.0 | EC000507 | pc |
| 23 | AH21061 | Top holder h=10cm /OC/ | 5906764383869 | 25.72.14.0 | EC000507 | pc |

| | | | | | | |
|----|----------|---|---------------|------------|----------|----|
| 24 | AH05011 | Angular holder h=6cm /OC/ | 5901832912460 | 25.72.14.0 | EC000507 | pc |
| 25 | AH05031 | Angular holder h=8cm /OC/ | 5901832912484 | 25.72.14.0 | EC000507 | pc |
| 26 | AH05051 | Angular holder h=15cm /OC/ | 5901832912507 | 25.72.14.0 | EC000507 | pc |
| 27 | AH05021 | Angular holder screwed h=6cm /OC/ | 5901832912477 | 25.72.14.0 | EC000507 | pc |
| 28 | AH05041 | Angular holder screwed h=8cm /OC/ | 5901832912491 | 25.72.14.0 | EC000507 | pc |
| 29 | AH05061 | Angular holder screwed h=15cm /OC/ | 5901832912514 | 25.72.14.0 | EC000507 | pc |
| 30 | AH05071 | Angular holder twisted h=7cm /OC/ | 5901832912521 | 25.72.14.0 | EC000507 | pc |
| 31 | AH05091 | Angular holder twisted h=14cm /OC/ | 5901832912545 | 25.72.14.0 | EC000507 | pc |
| 32 | AH05081 | Angular holder screwed twisted h=7cm /OC/ | 5901832912538 | 25.72.14.0 | EC000507 | pc |
| 33 | AH05101 | Angular holder screwed twisted h=14cm /OC/ | 5901832912552 | 25.72.14.0 | EC000507 | pc |
| 34 | AH06011 | Universal holder hammer in h=8cm B up to 30mm /OC/ | 5901832913108 | 25.72.14.0 | EC000508 | pc |
| 35 | AH06021 | Universal holder hammer in h=12cm B up to 30mm /OC/ | 5901832913115 | 25.72.14.0 | EC000508 | pc |
| 36 | AH06121 | Universal holder thread h=8cm B up to 30mm /OC/ | 5901832913191 | 25.72.14.0 | EC000507 | pc |
| 37 | AH06131 | Universal holder thread h=12cm B up to 30mm /OC/ | 5901832913207 | 25.72.14.0 | EC000508 | pc |
| 38 | AH07061 | Wire holder hammer in h=8cm /OC/ | 5901832914495 | 25.72.14.0 | EC000508 | pc |
| 39 | AH07071 | Wire holder hammer in h=12cm /OC/ | 5901832914501 | 25.72.14.0 | EC000508 | pc |
| 40 | AH07111 | Wire holder thread h=8cm /OC/ | 5901832914556 | 25.72.14.0 | EC000508 | pc |
| 41 | AH07121 | Wire holder thread h=12cm /OC/ | 5901832914563 | 25.72.14.0 | EC000507 | pc |
| 42 | AH08051 | Universal holder /OC/ | 5901832915348 | 25.72.14.0 | EC000507 | pc |
| 43 | AH08061 | Sheet metal holder /OC/ | 5901832915355 | 25.72.14.0 | EC000507 | pc |
| 44 | AH08071B | Holder with post brown /TW/OC/ | 5907675561971 | 25.72.14.0 | EC000507 | pc |
| 45 | AH08071C | Holder with post brick red /TW/OC/ | 5907675561988 | 25.72.14.0 | EC000507 | pc |
| 46 | AH08071A | Holder with post black /TW/OC/ | 5907675561995 | 25.72.14.0 | EC000507 | pc |
| 47 | AH08081 | Universal holder for structures/OC/ | 5901832915379 | 25.72.14.0 | EC000507 | pc |
| 48 | AH08101 | Universal holder/OC/ | 5901832915393 | 25.72.14.0 | EC000507 | pc |
| 49 | AH10011 | Gutter clamp /OC/ | 5901832917090 | 25.72.14.0 | EC000508 | pc |

| | | | | | | |
|----|----------|--|---------------|------------|----------|----|
| 50 | AH09291 | Universal tile holder /OC/ | 5901832916062 | 25.72.14.0 | EC000507 | pc |
| 51 | AH09301 | Universal tile holder twisted /OC/ | 5901832916079 | 25.72.14.0 | EC000507 | pc |
| 52 | AH09311 | Universal tile holder screwed /OC/ | 5901832916086 | 25.72.14.0 | EC000507 | pc |
| 53 | AH09321 | Universal tile holder screwed twisted /OC/ | 5901832916093 | 25.72.14.0 | EC000507 | pc |
| 54 | AH09331B | Universal tile holder with post brown/TW/OC/ | 5907675562367 | 25.72.14.0 | EC000507 | pc |
| 55 | AH09331C | Universal tile holder with post brick red/TW/OC/ | 5907675562374 | 25.72.14.0 | EC000507 | pc |
| 56 | AH09331A | Universal tile bracket with post black /TW/OC/ | 5907675562381 | 25.72.14.0 | EC000507 | pc |
| 57 | AH11021 | Straight holder screwed h=6cm /OC/ | 5901832917182 | 25.72.14.0 | EC000508 | pc |
| 58 | AH11041 | Straight holder screwed h=8cm /OC/ | 5901832917205 | 25.72.14.0 | EC000508 | pc |
| 59 | AH11061 | Straight holder screwed h=15cm /OC/ | 5901832917229 | 25.72.14.0 | EC000508 | pc |
| 60 | AH11011 | Straight holder h=6cm /OC/ | 5901832917175 | 25.72.14.0 | EC000508 | pc |
| 61 | AH11031 | Straight holder h=8cm /OC/ | 5901832917199 | 25.72.14.0 | EC000508 | pc |
| 62 | AH11051 | Straight holder h=15cm /OC/ | 5901832917212 | 25.72.14.0 | EC000508 | pc |
| 63 | AH13011 | Tension holder loop l=16cm /OC/ | 5901832918097 | 25.72.14.0 | EC012074 | pc |
| 64 | AH13021 | Tension holder loop l=25cm /OC/ | 5901832918103 | 25.72.14.0 | EC012074 | pc |
| 65 | AH13031 | Tension holder loop l=40cm /OC/ | 5901832918110 | 25.72.14.0 | EC012074 | pc |
| 66 | AH13051 | Tension holder reel /OC/ | 5901832918127 | 25.72.14.0 | EC012074 | pc |
| 67 | AH15011 | Single hammer in anchor l=35cm /OC/ | 5901832918356 | 27.12.10.0 | EC000508 | pc |
| 68 | AH15041 | Single hammer in anchor l=50cm /OC/ | 5901832918387 | 27.12.10.0 | EC000508 | pc |
| 69 | AH15111 | Single hammer in anchor l=70cm /OC/ | 5901832918455 | 27.12.10.0 | EC000508 | pc |
| 70 | AH15021 | Hammer in anchor with lock l=35cm /OC/ | 5901832918363 | 27.12.10.0 | EC000508 | pc |
| 71 | AH15051 | Hammer in anchor with lock l=50cm /OC/ | 5901832918394 | 27.12.10.0 | EC000508 | pc |
| 72 | AH15121 | Hammer in anchor with lock l=70cm /OC/ | 5901832918462 | 27.12.10.0 | EC000507 | pc |
| 73 | AH15031 | Double hammer in anchor l=35cm /OC/ | 5901832918370 | 27.12.10.0 | EC000508 | pc |
| 74 | AH15061 | Double hammer in anchor l=50cm /OC/ | 5901832918400 | 27.12.10.0 | EC000508 | pc |
| 75 | AH15131 | Double hammer in anchor l=70cm /OC/ | 5901832918479 | 27.12.10.0 | EC000508 | pc |

| | | | | | | |
|-----|----------|--|---------------|------------|----------|----|
| 76 | AH15071 | Screw anchor l=7cm /OC/ | 5901832918417 | 27.12.10.0 | EC000508 | pc |
| 77 | AH15091 | Screw anchor l=15cm /OC/ | 5901832918431 | 27.12.10.0 | EC000508 | pc |
| 78 | AH15081 | Screw anchor with lock l=7cm /OC/ | 5901832918424 | 27.12.10.0 | EC000508 | pc |
| 79 | AH15101 | Screw anchor with lock l=15cm /OC/ | 5901832918448 | 27.12.10.0 | EC000508 | pc |
| 80 | AH15171 | Tension holder /OC/ | 5906764383593 | 27.12.10.0 | EC000508 | pc |
| 81 | AH12140P | Concrete holder in plastic h=10 5cm /TW/ | 5907675563463 | 22.23.19.0 | EC000507 | pc |
| 82 | AH12150 | Plastic base /TW/ | 5901832917625 | 22.23.19.0 | EC001626 | pc |
| 83 | AH18001 | Turnbuckle screw hook-loop \varnothing 14 /OC/ | 5901832919025 | 25.72.14.0 | EC012074 | pc |
| 84 | AH18051 | Turnbuckle screw hook-loop \varnothing 16 /OC/ | 5901832919070 | 25.72.14.0 | EC012074 | pc |
| 85 | AH18011 | Turnbuckle screw loop-loop \varnothing 14 /OC/ | 5901832919032 | 25.72.14.0 | EC012074 | pc |
| 86 | AH18021 | Turnbuckle screw loop-loop \varnothing 16 /OC/ | 5901832919049 | 25.72.14.0 | EC012074 | pc |
| 87 | AH18031 | Turnbuckle screw reel-loop /OC/ | 5901832919056 | 25.72.14.0 | EC012074 | pc |
| 88 | AH29010B | Post h=4cm brown /TW/ | 5907675562770 | 22.23.19.0 | EC000507 | pc |
| 89 | AH29010C | Post h=4cm brick red /TW/ | 5907675562787 | 22.23.19.0 | EC000507 | pc |
| 90 | AH29010A | Post h=4cm black/TW/ | 5907675562794 | 22.23.19.0 | EC000507 | pc |
| 91 | AH29060B | Post h=6 2cm brown /TW/ | 5907675562800 | 22.23.19.0 | EC000507 | pc |
| 92 | AH29060C | Post h=6 2cm brick red /TW/ | 5907675562817 | 22.23.19.0 | EC000507 | pc |
| 93 | AH29060A | Post h=6 2cm black /TW/ | 5907675562824 | 22.23.19.0 | EC000507 | pc |
| 94 | AH29020B | Post with wall plug \varnothing 10x50mm brown /TW/ | 5907675562831 | 22.23.19.0 | EC000507 | pc |
| 95 | AH29020C | Post with wall plug \varnothing 10x50mm brick red /TW/ | 5907675562848 | 22.23.19.0 | EC000507 | pc |
| 96 | AH29020A | Post with wall plug \varnothing 10x50mm black /TW/ | 5907675562855 | 22.23.19.0 | EC000507 | pc |
| 97 | AH29040 | Post with a ceramic base brick red /TW/ | 5901832919902 | 22.23.19.0 | EC000507 | pc |
| 98 | AH29070 | Post with a ceramic base brown/TW/ | 5901832919926 | 22.23.19.0 | EC000507 | pc |
| 99 | AH29061B | Post with a steel base h=7 2cm brown /TW/OC/ | 5907675562862 | 22.23.19.0 | EC000507 | pc |
| 100 | AH29061C | Post with a steel base h=7 2cm brick red /TW/OC/ | 5907675562879 | 22.23.19.0 | EC000507 | pc |
| 101 | AH29061A | Post with a steel base h=7 2cm black /TW/OC/ | 5907675562886 | 22.23.19.0 | EC000507 | pc |

| | | | | | | |
|-----|------------|---|---------------|------------|----------|----|
| 102 | AH020003IN | Wire holder | 5907675564224 | 25.72.14.0 | EC000507 | pc |
| 103 | AH020004IN | Wire holder with stand | 5907675564231 | 25.72.14.0 | EC000507 | pc |
| 104 | AH36010 | Lightning protection pipe $\varnothing 20 \times 3000$ mm /TW/ | 5906764384507 | 22.21.29.0 | EC001174 | pc |
| 105 | AH36020 | Lightning protection pipe $\varnothing 40 \times 3000$ mm /TW/ | 5906764384514 | 22.21.29.0 | EC001174 | pc |
| 106 | AH36030 | Coupling for connecting lightning protection pipes $\varnothing 26$ mm /TW/ | 5906764384521 | 22.21.29.0 | EC000490 | pc |
| 107 | AH36040 | Coupling for connecting lightning protection pipes $\varnothing 46$ mm /TW/ | 5906764384538 | 22.21.29.0 | EC000490 | pc |
| 108 | AH36050 | Lightning pipe elbow do $\varnothing 20$ mm /TW/ | 5906764384545 | 22.21.29.0 | EC000490 | pc |
| 109 | AH36060 | Lightning pipe elbow do $\varnothing 40$ mm /TW/ | 5906764384552 | 22.21.29.0 | EC000490 | pc |
| 110 | AH36011 | Lightning pipe clamp $\varnothing 20$ /OC/ | 5906764389830 | 25.72.14.0 | EC000490 | pc |
| 111 | AH36021 | Lightning pipe clamp $\varnothing 40$ /OC/ | 5906764389847 | 25.72.14.0 | EC000490 | pc |
| 112 | AH28561 | Lightning pipe clamp – screwed in $\varnothing 30-45$ mm /OC/ | 5907675562893 | 25.72.14.0 | EC000509 | pc |
| 113 | AH36080 | Lightning pipe elbow 30° | 5907675564118 | 22.21.29.0 | EC000490 | pc |
| 114 | AH36090 | Lightning pipe elbow 30° | 5907675564286 | 22.21.29.0 | EC000490 | pc |
| 115 | AH14031 | Hard soil tip/OC/ | 5906764380226 | 25.99.29.0 | EC001628 | pc |
| 116 | AH14161 | Driving device with SDS tip /OC/ | 5906764380288 | 25.99.29.0 | EC001628 | pc |
| 117 | AH14071 | Hand mallet for earthings/OC/ | 5906764380257 | 25.99.29.0 | EC001628 | pc |
| 118 | AH14151 | Connection with a cross connector B up to 30mm /OC/ | 5906764380271 | 25.99.29.0 | EC000514 | pc |
| 119 | AH14231 | 4-plate earth connector small B up to 30mm $\varnothing 20$ mm /OC/ | 5906764380318 | 25.72.14.0 | EC000491 | pc |
| 120 | AH14241 | 4-plate earth connector large B up to 40mm $\varnothing 20$ mm /OC/ | 5906764380325 | 25.72.14.0 | EC000491 | pc |
| 121 | AH01211 | 2-plate earth connector rod-band B up to 40mm $\varnothing 20$ mm /OC/ | 5901832910350 | 25.72.14.0 | EC000491 | pc |
| 122 | AH01221 | 2-plate earth connector rod-wire B up to 40mm $\varnothing 20$ mm /OC/ | 5901832910367 | 25.72.14.0 | EC000491 | pc |
| 123 | AH01231 | 3-plate earth connector B up to 40mm $\varnothing 20$ mm /OC/ | 5901832910374 | 25.72.14.0 | EC000491 | pc |
| 124 | AH17011 | Steel foundation band holder/OC/ | 5906764384187 | 25.72.14.0 | EC000508 | pc |
| 125 | AH06061 | Universal tape holder/hammer in h=8cm B do 50mm /OC/ | 5901832913160 | 25.72.14.0 | EC000508 | pc |
| 126 | AH06071 | Universal tape holder/hammer in h=12cm B up to 50mm /OC/ | 5901832913177 | 25.72.14.0 | EC000508 | pc |
| 127 | AH06081 | Universal tape holder/hammer in h=18cm B up to 50mm /OC/ | 5901832913184 | 25.72.14.0 | EC000508 | pc |

| | | | | | | |
|-----|----------|---|---------------|------------|----------|----|
| 128 | AH06171 | Universal tape holder/thread h=8cm B do 50mm /OC/ | 5901832913252 | 25.72.14.0 | EC000508 | pc |
| 129 | AH06181 | Universal tape holder/thread h=12cm B up to 50mm /OC/ | 5901832913269 | 25.72.14.0 | EC000508 | pc |
| 130 | AH06391 | Universal tape holder/thread h=18cm B up to 50mm /OC/ | 5901832913276 | 25.72.14.0 | EC000508 | pc |
| 131 | AH26011 | Tape holder B up to 50x4mm /OC/ | 5901832919636 | 25.72.14.0 | EC000508 | pc |
| 132 | AH26031 | tape holder 2-plate B up to 50mm /OC/ | 5901832919650 | 25.72.14.0 | EC000508 | pc |
| 133 | AH26051 | tape holder 3-plate B up to 50mm /OC/ | 5901832919674 | 25.72.14.0 | EC000508 | pc |
| 134 | AH26021 | tape holder with wall plug B up to 50mm /OC/ | 5901832919643 | 25.72.14.0 | EC000508 | pc |
| 135 | AH26041 | tape holder with wall plug 2-plate B up to 50mm /OC/ | 5901832919667 | 25.72.14.0 | EC000508 | pc |
| 136 | AH26061 | tape holder with wall plug 3-plate B up to 50mm /OC/ | 5901832919681 | 25.72.14.0 | EC000508 | pc |
| 137 | AH26011P | Tape holder B up to 50mm /OC/ | 5907675563937 | 25.72.14.0 | EC000508 | pc |
| 138 | AH30020B | Wall-mounted control box 150x150x100mm white /TW/ | 5907675562916 | 22.23.19.0 | EC002874 | pc |
| 139 | AH30020S | Wall-mounted control box 150x150x100mm grey /TW/ | 5907675562923 | 22.23.19.0 | EC002874 | pc |
| 140 | AH30040B | Wall-mounted control box 150x150x55mm white/TW/ | 5907675562930 | 22.23.19.0 | EC002874 | pc |
| 141 | AH30040S | Wall-mounted control box 150x150x55mm grey /TW/ | 5907675562947 | 22.23.19.0 | EC002874 | pc |
| 142 | AH30050 | Wall mounted control box 168x218x84-215mm /TW/ | 5901832919988 | 22.23.19.0 | EC002874 | pc |
| 143 | AH30080B | Wall-mounted control box 150x150x50mm white/TW/ | 5907675562954 | 22.23.19.0 | EC002874 | pc |
| 144 | AH30080S | Wall-mounted control box 150x150x50mm grey /TW/ | 5907675562961 | 22.23.19.0 | EC002874 | pc |
| 145 | AH30060 | Ground control box 200x200x167mm grey /TW/ | 5906764389465 | 22.23.19.0 | EC002767 | pc |
| 146 | AH30070 | Ground control box 200x200x165mm /TW/ | 5907675562978 | 22.23.19.0 | EC002874 | pc |
| 147 | AH40001 | Single free-standing mast h=1000mm /AL/ | 5906764388048 | 25.99.29.0 | EC000505 | pc |
| 148 | AH40011 | Single free-standing mast h=1500mm /AL/ | 5906764388055 | 25.99.29.0 | EC000505 | pc |
| 149 | AH40021 | Single free-standing mast h=2000mm /AL/ | 5906764388062 | 25.99.29.0 | EC000505 | pc |
| 150 | AH40031 | Single free-standing mast h=2500mm /AL/ | 5906764388079 | 25.99.29.0 | EC000505 | pc |
| 151 | AH40041 | Single free-standing mast h=3000mm /AL/ | 5906764388086 | 25.99.29.0 | EC000505 | pc |
| 152 | AH40271 | Single free-standing mast h=3500mm /AL/ | 5906764389380 | 25.99.29.0 | EC000505 | pc |
| 153 | AH40741 | Free-standing mast on a small tripod h=2500mm /OC/AL/ | 5906764389533 | 25.99.29.0 | EC000505 | pc |

| | | | | | | |
|-----|---------|---|---------------|------------|----------|----|
| 154 | AH40751 | Free-standing mast on a small tripod h=3000mm /OC/AL/ | 5906764389540 | 25.99.29.0 | EC000505 | pc |
| 155 | AH40761 | Free-standing mast on a small tripod h=3500mm /OC/AL/ | 5906764389557 | 25.99.29.0 | EC000505 | pc |
| 156 | AH40811 | Wall/structure-mounted spire h=1000mm M12 /AL/ | 5906764388345 | 25.99.29.0 | EC000505 | pc |
| 157 | AH40821 | Wall/structure-mounted spire h=1500mm M12 /AL/ | 5906764388352 | 25.99.29.0 | EC000505 | pc |
| 158 | AH40831 | Wall/structure-mounted spire h=2000mm M12 /AL/ | 5906764388369 | 25.99.29.0 | EC000505 | pc |
| 159 | AH40841 | Wall/structure-mounted spire h=2500mm M20 /AL/ | 5906764388376 | 25.99.29.0 | EC000505 | pc |
| 160 | AH40851 | Wall/structure-mounted spire h=3000mm M20 /AL/ | 5906764388383 | 25.99.29.0 | EC000505 | pc |
| 161 | AH40861 | Wall/structure-mounted spire h=3500mm M20 /AL/ | 5906764388390 | 25.99.29.0 | EC000505 | pc |
| 162 | AH40301 | Chimney spire h=1000mm /OC/AL/ | 5906764388284 | 25.99.29.0 | EC000505 | pc |
| 163 | AH40311 | Chimney spire h=1500mm /OC/AL/ | 5906764388291 | 25.99.29.0 | EC000505 | pc |
| 164 | AH40321 | Chimney spire h=2000mm /OC/AL/ | 5906764388307 | 25.99.29.0 | EC000505 | pc |
| 165 | AH40331 | Chimney spire h=2500mm /OC/AL/ | 5906764388314 | 25.99.29.0 | EC000505 | pc |
| 166 | AH40341 | Chimney spire h=3000mm /OC/AL/ | 5906764388321 | 25.99.29.0 | EC000505 | pc |
| 167 | AH40351 | Chimney spire h=3500mm /OC/AL/ | 5906764388338 | 25.99.29.0 | EC000505 | pc |
| 168 | AH41321 | Ridge tile spire h=1000mm /OC/AL/ | 5906764389175 | 25.99.29.0 | EC000505 | pc |
| 169 | AH41331 | Ridge tile spire h=1000mm double/OC/AL/ | 5906764389182 | 25.99.29.0 | EC000505 | pc |
| 170 | AH41341 | Ridge tile spire h=1500mm /OC/AL/ | 5906764389199 | 25.99.29.0 | EC000505 | pc |
| 171 | AH41301 | Top spire h=1000mm /OC/AL/ | 5906764389151 | 25.99.29.0 | EC000505 | pc |
| 172 | AH41311 | Top spire h=1500mm /OC/AL/ | 5906764389168 | 25.99.29.0 | EC000505 | pc |
| 173 | AH40304 | Chimney spire h=1000mm /AL/ | 5907675564194 | 25.99.29.0 | EC000505 | pc |
| 174 | AH40314 | Chimney spire h=1500mm /AL/ | 5907675564293 | 25.99.29.0 | EC000505 | pc |
| 175 | AH51171 | Single u-bolt 140x40mm /OC/ | 5907675563050 | 25.72.14.0 | EC000509 | pc |
| 176 | AH51181 | Single u-bolt 160x50mm /OC/ | 5907675563067 | 25.72.14.0 | EC000509 | pc |
| 177 | AH40171 | Adjustment to lightning protection masts M12 /OC/ | 5906764388635 | 25.72.14.0 | EC000490 | pc |
| 178 | AH40181 | Adjustment to lightning protection masts M20 /OC/ | 5906764388642 | 25.72.14.0 | EC000490 | pc |
| 179 | AH40290 | Weight for stay in elevated terminals | 5906764389274 | 25.72.14.0 | EC001626 | pc |

| | | | | | | |
|-----|-----------|---|---------------|------------|----------|----|
| 180 | AH51291 | Wire cross connector - M12 /OC/ | 5907675563913 | 25.72.14.0 | EC000507 | pc |
| 181 | AH39000 | High-voltage cable (HVC) 50mm ² /AL/ | 5906764387256 | 27.32.13.0 | EC003251 | pc |
| 182 | AH39024 | HVC mounting plate/AL/ | 5906764388673 | 25.72.14.0 | EC001626 | pc |
| 183 | AH39071 | Screw-in bracket for mounting HCV /OC/ | 5906764389281 | 25.72.14.0 | EC000508 | pc |
| 184 | AH39091 | Straight angle bracket for HVC /OC/ | 5906764389311 | 25.72.14.0 | EC000507 | pc |
| 185 | AH39051 | Universal sheet metal bracket for HVC/OC/ | 5907675563166 | 25.72.14.0 | EC000508 | pc |
| 186 | AH39081 | Screw-in bracket 8x305 for mounting HCV /TW/OC/ | 5906764389304 | 25.72.14.0 | EC000508 | pc |
| 187 | AH39080 | Plastic bracket for HVC /TW/ | 5907675564125 | 25.72.14.0 | EC000508 | pc |
| 188 | AH39090 | Plastic bracket for HVC with connector /TW/ | 5907675564132 | 25.72.14.0 | EC000508 | pc |
| 189 | AH39111 | Screw-in bracket 8x265 for mounting HCV /TW/OC/ | 5907675564156 | 25.72.14.0 | EC000508 | pc |
| 190 | AH39121 | Screw-in bracket 8x105 for mounting HCV /TW/OC/ | 5907675564163 | 25.72.14.0 | EC000508 | pc |
| 191 | AH34011 | Wire bending device /OC/ | 5906764389823 | 25.72.14.0 | EC002496 | pc |
| 192 | AH38500 | Plastic lightning penetration /TW/ | 5906764388727 | 22.23.19.0 | EC000490 | pc |
| 193 | AH38571 | Cable tray support h=15cm | 5906764389243 | 25.72.14.0 | EC000507 | pc |
| 194 | AH12300 | Acid-free technical vaseline 0.9 kg | 5906764389335 | 19.20.41.0 | EC002722 | pc |
| 195 | AH12340 | Synthetic adhesive for PVC roofing membranes SI | 5907675561667 | 20.52.10.0 | EC000529 | pc |
| 196 | AH40270 | concrete weight 395x395x70mm | 5906764389250 | 25.99.29.0 | EC000001 | pc |
| 197 | AH100001B | concrete weight 500x500x80mm | 5907675564842 | 25.99.29.0 | EC000001 | pc |

WŁAŚCICIEL

mgr inż. Adam Hardt Adam Hardt

Cholerzyn, 1.01.25 r.